

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)

Edit an existing query or  
compose a new query in the  
Search Query Display.

Tue, 29 May 2007, 8:08:09 AM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 (( secure<in>metadata ) <and> ( non secure<in>metadata ) )  
<and> ( domain<in>metadata )

#2 (( secure<in>metadata ) <and> ( non secure<in>metadata ) )  
<and> ( partition<in>metadata )

#3 (( secure and non secure<in>metadata ) <and>  
( request<in>metadata ) )<and> ( partition<in>metadata )

[Help](#) [Contact Us](#) [Privacy &](#)

Copyright 2006 IEEE -

4.113PEC

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	957	(secure OR protected) NEAR2 domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 07:58
L2	65	("non-secure" OR (non ADJ protected) OR (non ADJ secure)) NEAR2 domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 07:58
L3	65	L1 WITH L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 07:58
L4	372888	access NEAR2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 07:58
L5	28	L3 SAME L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 07:58
L6	4201	partition WITH check\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 07:58
L7	25	L5 AND L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 07:58
L8	46	("non-secure" OR (non ADJ protected) OR (non ADJ secure) OR (un ADJ secure)) WITH (address NEAR3 (range OR region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 07:59
L9	9	(mode OR state OR class) WITH L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:00
L10	5	request WITH L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:01

## EAST Search History

L11	396	(secure OR protected) WITH (address NEAR3 (range OR region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:02
L12	71	(secure OR protected) WITH (address NEAR3 (range OR region)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:02
L13	31	(("non-secure" OR (non ADJ protected) OR (non ADJ secure)) NEAR2 domain).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:02
L14	4	L12 AND L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:03
L15	64499	partition\$5.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:02
L16	9	L12 AND L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:03
L17	7	L13 AND L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:03
S1	891	(secure OR protected) NEAR2 domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 13:07
S2	62	("non-secure" OR (non ADJ protected) OR (non ADJ secure)) NEAR2 domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:02
S3	62	S1 SAME S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 10:22

## EAST Search History

S4	62	S1 WITH S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 10:30
S5	356008	access NEAR2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 10:31
S6	27	S4 SAME S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 10:54
S7	4086	partition WITH check\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 10:54
S8	24	S6 AND S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 07:58
S9	32	S2 AND partition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 10:57
S10	26660	address NEAR3 (range OR region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 13:08
S11	377	(secure OR protected) WITH (address NEAR3 (range OR region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 08:01
S12	43	("non-secure" OR (non ADJ protected) OR (non ADJ secure)) WITH (address NEAR3 (range OR region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 13:10
S13	43	("non-secure" OR (non ADJ protected) OR (non ADJ secure) OR (un ADJ secure)) WITH (address NEAR3 (range OR region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 07:59

## EAST Search History

S14	43	S11 AND S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 13:11
S15	43	S11 SAME S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 13:28
S16	4086	partition WITH check\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 13:19
S17	23	S15 AND S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 13:21
S18	23	S15 AND partition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 13:27
S20	2	"6820177"	USPAT	OR	OFF	2007/02/07 19:15
S21	16	(("6292874") or ("55817220203208") or ("0574032") or ("2176918") or ("9736235") or ("4521852")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/07 19:16